



PURE-PRO

KITCHEN STORAGE SYSTEM


Guangdong Dongtai Hardware Precision Manufacturing Co.,Ltd
Industry Road,Leliu Port,Leliu,Shunde,Foshan,Guangdong,China.
Tel: +86(0)757-25332283 Fax: 0757-25551876 Zip: 528322
Website:www.dtcddtc.com E-mail: dtc@dtcddtc.com

DTC-CA-2023-24-1
April 2023

WWW.DTCDTC.COM

WWW.DTCDTC.COM

DTC
Global Quality Benchmark



PURE-PRO Kitchen Storage System

The convenience of drawer storage is possible with modular components that freely combine to create a high degree of operational comfort and organized space for modern kitchens.



COMPANY PROFILE



Established in 1991, DTC has been deeply involved in the manufacture of home hardware for 32 years with the mission of "Creating greater value for all customers by providing competitive and comprehensive furniture hardware solutions based on continuous innovation and adaptation to the times."

We specialise in servicing the need of functional hardware such as concealed hinges, drawer slides, drawer box systems, kitchen and wardrobe storage systems, lifting systems, sliding door systems, connecting fittings and more for home-living spaces.

At present, DTC's scale and market share rank first in China's home hardware industry and in the top three worldwide. DTC's sales network covers all provincial capitals and key cities in China and extends to 106 countries and regions around the world.

Factory 1



Factory 2



Factory 3



Factory 5



Factory 6



Guided by customer demand and driven by technological innovation, DTC's organization employs excellent professional teams. Product development, intelligent manufacturing, brand planning and marketing services groups work to provide customers with a complete solution throughout product design, production, distribution, installation and after-sales service.

The complete chain of DTC's manufacturing facilities are located in China with production sites covering over 600,000 m².

The intelligent manufacturing industrial park at DTC headquarters produces medium and high-end hardware products that support smart homes and smart appliances where industry-leading R&D and testing centers and advanced manufacturing facilities are based. Intelligent management platforms that integrate R&D, production and marketing are being run to realize cross-regional and cross-border coordinations. This provides a foundation for continuous organizational optimization and business model innovation and thus enhances product competitiveness.

Now, and in the future, DTC will advance with the times, embrace the capital market, plan overseas production bases and expand its global service network to better provide quality products and solutions. Maintaining close cooperation with worldwide furniture manufacturers and strategic dealers at all levels, we strive to create greater value for all customers to make home living the best it can be!

Contents

Table of Contents



HQ SERIES STORAGE SYSTEM 5

BASE CABINET	9
Spice Drawer	17~30
Narrow Spice Drawer	31~36
Dinnerware and Cookware Drawer	37~64

CORNER CABINET	65
Corner Roll-out Unit	65~72

PANTRY CABINET	73
Multiple Interior Drawer	73~80
Linked Storage Drawer	81~88

HK SERIES STORAGE SYSTEM 89

BASE CABINET	91
Spice Drawer	97~110
Narrow Spice Drawer	111~116
Dinnerware and Cookware Drawer	117~140

CORNER CABINET	141
Corner Roll-out Unit	141~148

WALL CABINET	149
Lift-Down Storage Unit	149~156

PANTRY CABINET	157
Multiple Interior Drawer	157~164
Linked Storage Drawer	165~172



KITCHEN STORAGE SYSTEM

PURE-PRO HQ SERIES

Less Becomes More

A Perfect Combination of
Modern Design and Luxurious Styling





73

81

31

37

51

Modular Design Freedom to Configure

PURE-PRO modules and partitions can be positioned into various arrangements so that the user can configure a storage drawer to suit their individual preferences for access and comfort.



Silent



Durable



Adaptable



Eco-Friendly



Safe




Ultra-slim Design A Combination of Glass and Metal

The elegant ultra-slim 6mm drawer sides with integral glass present a statement of minimalist design with artistic flair.


6mm





Curved Handle Design

The curved handle is ergonomically designed to avoid contacting the cabinet when removing and replacing the storage trays.



Food Grade Double Coating


An environmentally responsible and hygienic coating technique is used on the metal components to provide strong resistance to corrosion, abrasion, acid and alkali for the service life of the units.





Discreet Front Panel Fixings

Blending with the slim drawer sides, the integral fixing flanges replace the common and complicated fixing brackets. They achieve a firm connection to the drawer front and have side adjustment through slotted holes. Tool-free height adjustment controls are conveniently located in the drawer slides.



Tool Free Drawer Removal

As with other DTC double-wall drawer systems, PURE-PRO drawers are designed with integrated release levers in the drawer slides for easy drawer removal and re-installation.

Check more info of removal and adjustment on Page 63



Cabinet Compatibility

The internal storage components are designed to fit frameless cabinets in standard European metric widths (600, 900, etc.) that have either 16mm or 18mm side panels.



HQ SERIES | Spice Drawer

Innovative storage design with convenient partitions.
Easily store various items such as spice bottles, sauces, and knives.



Silent



Durable



Adaptable



Eco-Friendly



Safe





HQ SERIES | Spice Drawer

Easily organize spice, sauce, oil, etc, and combine with knife holders or the other units. The ergonomic design enables comfort and convenience, users can remove the trays with everything together and place them on the counter.



High Capacity

Different sizes of spice bottles can be well organized and even large bottles of oil are easily contained.



Flexibility

The movable divider rods are easily moved to fit different bottle sizes.



Convenience

The knife holder tray safely stores larger knives, enabling easy access and added convenience.


Spice Drawer with Glass-boxside (Top Drawer)




DESCRIPTION

- Concealed, full extension
- load capacity: 40kg
- Tool free assembly and removal of drawer
- Silent system guarantees smooth run without noise
- Finish: Grey matt(E30)


SPACE REQUIREMENT





LT = Internal Cabinet Depth
Minimum LT = 453mm


<div>1</div> 	Slides /Industrial Package Pre-zinc Steel(F02)		
		Item No.	Pair/ctn
		HD10450H2	5

<div>2</div> 	Low Inner Drawer Sides /Industrial Package Grey Matt(E30)		
		Item No.	Pair /ctn
		HQ114503	5


3 	Bottom Frame /Industrial Package Grey Matt(E30)		
	Cabinet Width (KB)	Item No.	Pcs/ctn
	300mm	HQDB01-300	10
	350mm	HQDB01-350	10
	400mm	HQDB01-400	10
	450mm	HQDB01-450	10

4 	Low Drawer Metal Back /Industrial Package Grey Matt(E30)		
	Cabinet Width (KB)	Item No.	Pcs/ctn
	300mm	HK1103A300	10
	350mm	HK1103A350	10
	400mm	HK1103A400	10
	450mm	HK1103A450	10



5 	Inner Drawer Front /Industrial Package Grey Matt(E30)		
	Cabinet Width (KB)	Item No.	Pcs/ctn
	300mm	HK10022A-300	50
	350mm	HK10022A-350	50
	400mm	HK10022A-400	50
	450mm	HK10022A-450	50


6 	Low Drawer Glass-front Panel /Industrial Package Glass(G01)		
	Cabinet Width (KB)	Item No.	Pcs/ctn
	300mm	HK1106A300	10
	350mm	HK1106A350	10
	400mm	HK1106A400	10
	450mm	HK1106A450	10

	Low Drawer Glass-boxside /Industrial Package Glass(G01)		
		Item No.	Pair/ctn
		HK11062450	10

8 	Spice Bottle Unit /Industrial Package Silver White(E40)		
	Width	Item No.	Pcs/ctn
	100mm	HQT01-100	6
	125mm	HQT01-125	6
	150mm	HQT01-150	5
	200mm	HQT01-200	3
	250mm	HQT01-250	3

8 	Knife Holder /Industrial Package Silver White(E40)		
	Width	Item No.	Pcs/ctn
	125mm	HQD01-125	6

9 	Spacer for 16mm Cabinet Side Panel / Industrial Package		
	Dark Grey (H11)	Item No.	Pair/ctn
		0LKDK02	200
10 	Bumper/ Industrial Package		
		Item No.	Pcs/ctn
		2HMT02	200




Spice Drawer with Glass-boxside (Bottom Drawer)



DESCRIPTION


- Concealed, full extension
- load capacity: 40kg
- Tool free assembly and removal of drawer
- Silent system guarantees smooth run without noise
- 3D adjustment:
Up & down adjustment: ±2mm,
left & right adjustment: ±1.5mm,
tilt adjustment: + 1.5, -2.5mm
- Finish: Grey matt(E30)


SPACE REQUIREMENT





LT = Internal Cabinet Depth
Minimum LT = 453mm


<div>1</div> 	Slides /Industrial Package Pre-zinc Steel(F02)		
		Item No.	Pair/ctn
		HD10450H	5


<div>2</div> 	High Drawer Sides /Industrial Package Grey Matt(E30)		
		Item No.	Pair/ctn
		HQ134501	5


3 	Bottom Frame /Industrial Package Grey Matt(E30)		
	Cabinet Width (KB)	Item No.	Pcs/ctn
	300mm	HQDB01-300	10
	350mm	HQDB01-350	10
	400mm	HQDB01-400	10
	450mm	HQDB01-450	10


4 	High Drawer Metal Back /Industrial Package Grey Matt(E30)		
	Cabinet Width (KB)	Item No.	Pcs/ctn
	300mm	HK1303A300	10
	350mm	HK1303A350	10
	400mm	HK1303A400	10
	450mm	HK1303A450	10

5		High Drawer Glass-boxside /Industrial Package Glass(G01)	
		Item No.	Pair /ctn
		HK13062450	10

6 	Spacer for 16mm Cabinet Side Panel /Industrial Package Dark Grey (H11)		
		Item No.	Pair /ctn
		0LKDK02	200

7		Cover Caps for High Drawer (Left/Right) /Industrial Package Dark Grey (H11)		
			Item No.	Pair/ctn
			0HQ13JS01	200

8 	Spice Bottle Unit /Industrial Package Silver White(E40)		
	Width	Item No.	Pcs/ctn
	100mm	HQT02-100	6
	125mm	HQT02-125	6
	150mm	HQT02-150	5
	200mm	HQT02-200	3
	250mm	HQT02-250	3





PURE-PRO
HQ SERIES · BASE CABINET


Spice Drawer with Glass-boxside (Kit Package)



DESCRIPTION

- Concealed, full extension
- load capacity: 40kg
- Tool free assembly and removal of drawer
- Silent system guarantees smooth run without noise
- 3D adjustment:
Up & down adjustment: $\pm 2\text{mm}$,
left & right adjustment: $\pm 1.5\text{mm}$,
tilt adjustment: $+ 1.5, -2.5\text{mm}$
- Finish: Grey matt(E30)

SPACE REQUIREMENT




LT=Internal cabinet depth
Minimum LT = 453mm
H = Internal drawer height
H (Top drawer) =198mm
H (Bottom drawer) = 273mm

Product Information

Drawer Type	Cabinet Width (KB)	Item No.	Set/ctn	Finish
Top	300mm	HQ11450Q300T01	1	Grey Matt(E30)
	350mm	HQ11450Q350T01	1	
	400mm	HQ11450Q400T01	1	
	450mm	HQ11450Q450T01	1	
Bottom	300mm	HQ13450A300T01	1	Grey Matt(E30)
	350mm	HQ13450A350T01	1	
	400mm	HQ13450A400T01	1	
	450mm	HQ13450A450T01	1	


Drawer Front Dimensions (mm)

LW = Internal cabinet width
FA = Overlay




Configuration

KB = 450mm, standard configuration of a top spice drawer,
refer to page 28 for other sizes




KB = 450mm, standard configuration of a bottom spice drawer,
refer to page 28 for other sizes




Installation Dimensions (mm)

LW = Internal cabinet width
KB = Cabinet width



Screw Positions of the Slides (mm)





Spice Drawer with Glass-boxside

The program includes units in four widths that are combined into kits that fit in standard European metric sized frameless cabinets. Wider drawers offer more options.



PURE-PRO

HQ SERIES · BASE CABINET




HQ SERIES


Standard Kits

Cabinet : 300mm Item No.: HQ11450Q300T01 Item No.: HQ13450A300T01

Top drawer configuration




HQT01-100




HQT01-125

Bottom drawer configuration




HQT02-100




HQT02-125

Cabinet : 350mm Item No.: HQ11450Q350T01 Item No.: HQ13450A350T01

Top drawer configuration




HQT01-150




HQT01-125

Bottom drawer configuration




HQT02-150




HQT02-125

Cabinet : 400mm Item No.: HQ11450Q400T01 Item No.: HQ13450A400T01


Top drawer configuration



HQD01-125




HQT01-100




HQT01-100

Bottom drawer configuration




HQT02-200




HQT02-125

Cabinet : 450mm Item No.: HQ11450Q450T01 Item No.: HQ13450A450T01


Top drawer configuration



HQD01-125




HQT01-125




HQT01-125

Bottom drawer configuration




HQT02-250




HQT02-125

Spice Drawer with Glass-boxside (Top Drawer)


Assembly




Insert glass-boxside




Metal back assembly




Bottom frame assembly




Fix rear cover on drawer side




Metal back assembly




Bottom frame assembly




Fix screws




Metal back assembly




Bottom frame assembly



Fix front glass and front inner drawer




Metal back assembly




Bottom frame assembly

Spice Drawer with Glass-boxside (Bottom Drawer)


Assembly




Insert glass-boxside




Metal back assembly




Bottom frame assembly




Fix rear cover on drawer side




Metal back assembly




Bottom frame assembly




Fix screws




Metal back assembly




Bottom frame assembly




Fix the brackets



Metal back assembly



Bottom frame assembly



HQ SERIES | Narrow Spice Drawer

When a kitchen design requires a narrow cabinet to be placed, a narrow spice drawer configuration makes the most of the small space and optimizes convenience and storage capacity.



Silent



Durable



Adaptable



Eco-Friendly



Safe




Narrow Spice Drawer with Glass-boxside










DESCRIPTION


- Concealed, full extension
- load capacity: 40kg
- Tool free assembly and removal of drawer
- Silent system guarantees smooth run without noise
- 3D adjustment:
Up & down adjustment: $\pm 2\text{mm}$,
left & right adjustment: $\pm 1.5\text{mm}$,
tilt adjustment: $+ 1.5, -2.5\text{mm}$
- Finish: Grey matt (E30)

SPACE REQUIREMENT



LT = Internal cabinet depth
Minimum LT = 453mm
H = Internal drawer height
H (Top drawer) = 198mm
H (Bottom drawer) = 273mm

1		Slides /Industrial Package Pre-zinc Steel(F02)	
		Item No.	Pair/ctn
		HD10450H	5
2		Low Drawer Sides /Industrial Package Grey Matt(E30)	
		Item No.	Pair/ctn
		HQ114501	5
3		Low Drawer Bottom /Industrial Package Grey Matt(E30)	
		Cabinet Width (KB)	Pcs/ctn
		150mm	HQDB01-150 10
		200mm	HQDB01-200 10
4		Cover Caps for Low Drawer (Left/Right) /Industrial Package Dark Grey (H11)	
		Item No.	Pair/ctn
		0HQ11JS01	200
5		Low Drawer Glass-boxside /Industrial Package Glass(G01)	
		Item No.	Pair/ctn
		HK11062450	10
6		High Drawer Glass-boxside /Industrial Package Glass(G01)	
		Item No.	Pair/ctn
		HK13062450	10
7		Spacer for 16mm Cabinet Side Panel /Industrial Package Dark Grey (H11)	
		Item No.	Pair/ctn
		0LKDK02	200




Narrow Spice Drawer with Glass-boxside(Kit Package)



DESCRIPTION

- Concealed, full extension
- load capacity: 40kg
- Tool free assembly and removal of drawer
- Silent system guarantees smooth run without noise
- 3D adjustment:
 - Up & down adjustment: $\pm 2\text{mm}$,
 - left & right adjustment: $\pm 1.5\text{mm}$,
 - tilt adjustment: $+ 1.5, -2.5\text{mm}$
- Finish: Grey matt(E30)

SPACE REQUIREMENT



LT = Internal cabinet depth
Minimum LT = 453mm
H = Internal drawer height
H (Top drawer) = 198mm
H (Bottom drawer) = 273mm

Product Information			
Cabinet Width (KB)	Item No.	Set/ctn	Finish
150mm	HQ450A150Z01	1	Grey Matt(E30)
200mm	HQ450A200Z01	1	

Refer to page 60,62 for cross divider

Drawer Front Dimensions (mm)

LW = Internal cabinet width
 FA = Overlay = (W-LW)/2
 W = Drawer front width
 h = Fixing hole distance between two slides

A	Installation width(KB)
74	150-199
124	200-299

Technical drawing of a drawer front showing dimensions and labels:

- W**: Total width of the drawer front.
- LW**: Internal cabinet width, calculated as $LW = KB - 36$.
- FA**: Overlay, calculated as $FA = (W - LW) / 2$.
- A**: Distance from the center of the fixing hole to the inner edge of the cabinet.
- h**: Fixing hole distance between two slides.
- KB**: Installation width, with values 150-199 for A=74 and 200-299 for A=124.
- Φ 10 $\begin{smallmatrix} +0.2 \\ -0.1 \end{smallmatrix}$ / Φ 2 $\begin{smallmatrix} +0.2 \\ -0.1 \end{smallmatrix}$** : Hole diameters for the fixing holes.
- Labels**: "Drawer Front" and "Cabinet" with arrows pointing to the respective parts.

Configuration

Installation Dimensions (mm)


LW = Internal cabinet width
 KB = Cabinet width
 h = Fixing hole distance between two slides

Screw Positions of the Slides (mm)


Minimum Internal cabinet depth: 453mm

Narrow Spice Drawer with Glass-boxside

Assembly






Insert glass-boxside



Fix rear cover on drawer side

Assemble and fix screws



DTC is always innovating!
For more information, please visit our website www.dtc.dtc.com



HQ SERIES | Dinnerware and Cookware Drawer

The innovative modular design concept allows for a variety of placement options. Everything needed for daily meals are within reach and well-organized. The elegant drawer sides of tempered glass express a minimalist fashion sense for your cabinets.



Silent



Durable



Adaptable



Eco-Friendly



Safe





HQ SERIES | Dinnerware Drawer

Plates of different sizes are easily stored and combined with bowl and chopstick holders.

Organizing everyday dinnerware in a drawer, for example, is more convenient than having stacked plates in a wall cabinet.





HQ SERIES | Dinnerware Drawer

Bowls of different sizes, even long plates, can all be well organized. The divided sections in the holders keep valuable dinnerware from touching and are further protected by the soft-close motion of the high-capacity drawer slides.



No separator is recommended between two rows of diameter 15cm bowls



A separator is recommended between a row of diameter 15cm bowls and a row of diameter 20cm bowls



Two separators are between two rows of diameter 20cm bowls

Optimized Space


The innovative dinnerware storage system includes a variety of bowl and plate holders. By using separator panels, different sizes, depths - even long and narrow - of dinnerware can be easily organized.



Convenience

Moving entire selections of bowls and plates is possible with the removable trays with ergonomic handles.


Dinnerware Drawer with Glass-boxside



DESCRIPTION


- Concealed, full extension
- load capacity: 40kg
- Tool free assembly and removal of drawer
- Silent system guarantees smooth run without noise
- 3D adjustment:
Up & down adjustment: ±2mm,
left & right adjustment: ±1.5mm,
tilt adjustment: + 1.5, -2.5mm
- Finish: Grey matt(E30)

SPACE REQUIREMENT



LT = Internal Cabinet Depth
Minimum LT = 453mm


1



Slides /Industrial Package
Pre-zinc Steel(F02)

Item No.	Pair/ctn
HD10450H	5


2



Low Drawer Siders /Industrial Package
Grey Matt(E30)

Item No.	Pair/ctn
HQ114501	5


3



Cover Caps (Left/Right) /Industrial Package
Dark Grey (H11)

Item No.	Pair/ctn
0HQ11JS01	200


4



Bottom Frame /Industrial Package
Grey Matt(E30)

Cabinet Width (KB)	Item No.	Pcs/ctn
600mm	HQDB01-600	10
700mm	HQDB01-700	10
800mm	HQDB01-800	10
900mm	HQDB01-900	10

5



Low Drawer Metal Back /Industrial Package
Grey Matt(E30)

Cabinet Width (KB)	Item No.	Pcs/ctn
600mm	HK1103A600	10
700mm	HK1103A700	10
800mm	HK1103A800	10
900mm	HK1103A900	10

6





Plate Holder /Industrial Package
Silver White(E40)

Width	Item No.	Pcs/ctn
250mm	HQE01-250	3


6



Bowl Holder /Industrial Package
Silver White(E40)

Width	Item No.	Pcs/ctn
125mm	HQW01-125	6


6



Chopsticks and Spoon Holder /Industrial Package
Dark Grey (H11)

Width	Item No.	Pcs/ctn
250mm	HQK01-125	6


6



Seperator /Industrial Package
Dark Grey (H11)

Width	Item No.	Pcs/ctn
25mm	HQF01-25	200


7



Spacer for 16mm Cabinet Side Panel / Industrial Package
Dark Grey (H11)


Item No.	Pair/ctn
0LKDK02	200

8




Low Drawer Glass-boxside / Industrial Package
Glass(G01)

Item No.	Pair/ctn
HK11062450	10



45


Dinnerware Drawer with Glass-boxside (Kit Package)



DESCRIPTION

- Concealed, full extension
- load capacity: 40kg
- Tool free assembly and removal of drawer
- Silent system guarantees smooth run without noise
- 3D adjustment:
Up & down adjustment: ±2mm,
left & right adjustment: ±1.5mm,
tilt adjustment: + 1.5, -2.5mm
- Finish: Grey matt(E30)

SPACE REQUIREMENT




LT = Internal Cabinet Depth
Minimum LT = 453mm

Product Information

Cabinet Width (KB)	Item No.	Set/ctn	Finish
600mm	HQ11450A600B01	1	Grey Matt(E30)
700mm	HQ11450A700B01	1	
800mm	HQ11450A800B01	1	
900mm	HQ11450A900B01	1	


Configuration

KB = 900mm, standard configuration of a dinnerware drawer, refer to page 48 for other sizes



Drawer Front Dimensions (mm)


LW=Internal cabinet width



Φ 10^{+0.2}_{-0.1} / Φ 2^{+0.2}_{-0.1}


Installation Dimensions (mm)

LW = Internal cabinet width
KB = Cabinet width
LT = Internal cabinet depth
H = Cabinet height
h = Fixing hole distance between two slides



Cabinet edge

Screw Positions of the Slides (mm)



Minimum Internal cabinet depth: 453mm

Minimum LT = 453mm

46




Dinnerware Drawer

Plate and bowl holders, knife holders and separator panels all combine to suit the user's preference and the cabinet width. Together this creates a unique experience with high capacity, easy access, and easy cleaning.




Standard Kits


Cabinet : 600mm Item No. : HQ11450A600B01




HQE01-250



HQW01-125




HQK01-125




HQF01-25


Cabinet : 700mm Item No. : HQ11450A700B01




HQE01-250



HQW01-125




HQW01-125




HQK01-125


Cabinet : 800mm Item No. : HQ11450A800B01




HQE01-250




HQW01-125




HQW01-125




HQK01-125




HQF01-25



HQF01-25




HQF01-25




HQF01-25


Cabinet : 900mm Item No. : HQ11450A900B01




HQE01-250




HQW01-125




HQW01-125




HQW01-125




HQK01-125



HQF01-25



HQF01-25



HQF01-25



Not only are dinnerware and utensils accommodated, but cookware and small appliances can be effectively stored with the program.



HQ SERIES | Cookware Drawer

No matter the variety pots and pans, cookware storage drawers are a perfect addition to an elegant, organized kitchen with PURE-PRO drawers.


Cookware Drawer with Glass-boxside








DESCRIPTION



- Concealed, full extension
- load capacity: 40kg
- Tool free assembly and removal of drawer
- Silent system guarantees smooth run without noise
- 3D adjustment:
Up & down adjustment: $\pm 2\text{mm}$,
left & right adjustment: $\pm 1.5\text{mm}$,
tilt adjustment: $+ 1.5, -2.5\text{mm}$
- Finish: Grey matt(E30)

SPACE REQUIREMENT



LT = Internal Cabinet Depth
Minimum LT = 453mm

1		Slides /Industrial Package		
		Pre-zinc Steel(F02)		
		Item No.	Pair/ctn	
		HD10450H	5	
2		Low Drawer Sides /Industrial Package		
		Grey Matt(E30)		
		Item No.	Pair/ctn	
		HQ114501	5	
3		Cover Caps (Left/Right) /Industrial Package		
		Dark Grey (H11)		
		Item No.	Pair/ctn	
		0HQ11JS01	200	
4		Bottom Frame /Industrial Package		
		Grey Matt(E30)		
		Cabinet Width (KB)	Item No.	Pcs/ctn
		600mm	HQDB01-600	10
		700mm	HQDB01-700	10
		800mm	HQDB01-800	10
		900mm	HQDB01-900	10
5		Low Drawer Metal Back /Industrial Package		
		Grey Matt(E30)		
		Cabinet Width (KB)	Item No.	Pcs/ctn
		600mm	HK1103A600	10
		700mm	HK1103A700	10
		800mm	HK1103A800	10
		900mm	HK1103A900	10




Cookware Drawer with Glass-boxside (Kit Package)



DESCRIPTION

- Concealed, full extension
- load capacity: 40kg
- Tool free assembly and removal of drawer
- Silent system guarantees smooth run without noise
- 3D adjustment:
 - Up & down adjustment: $\pm 2\text{mm}$,
 - left & right adjustment: $\pm 1.5\text{mm}$,
 - tilt adjustment: $+ 1.5, -2.5\text{mm}$
- Finish: Grey matt(E30)

SPACE REQUIREMENT




LT = Internal Cabinet Depth
Minimum LT = 453mm

Product Information			
Cabinet Width (KB)	Item No.	Set/ctn	Finish
600mm	HQ11450A600A01	1	Grey Matt(E30)
700mm	HQ11450A700A01	1	
800mm	HQ11450A800A01	1	
900mm	HQ11450A900A01	1	


Drawer Front Dimensions (mm)

LW = Internal cabinet width




Configuration

KB = 900mm, standard configuration of a cookware drawer,
refer to page 56 for other sizes




Installation Dimensions (mm)

LW = Internal cabinet width
KB = Cabinet width
LT = Internal cabinet depth
H = Cabinet height
h = Fixing hole distance between two slides




Screw Positions of the Slides (mm)






Cookware Drawer

Large, flat-wired bases in two widths are used in combination with separator panels to form a contiguous foundation for cookware. The wire bases could be seperated easily from the plastic trays for cleaning.




Standard Kits

Cabinet: 600mm Item No.: HQ11450A600A01



HQG01-250




HQG01-250



HQF01-25


Cabinet: 700mm Item No.: HQ11450A700A01



HQG01-250




HQG01-250




HQG01-125


Cabinet: 800mm Item No.: HQ11450A800A01



HQG01-250



HQG01-250



HQG01-125



HQF01-25



HQF01-25




HQF01-25




HQF01-25


Cabinet: 900mm Item No.: HQ11450A900A01



HQG01-250




HQG01-250




HQG01-125



HQF01-25




HQF01-25






HQF01-25

Dinnerware and Cookware Drawer with Glass-boxside


Assembly





Insert glass-boxside




Fix rear cover on drawer side




Metal back assembly










Bottom frame and brackets assembly








Fix screws




DTC is always innovating!
For more information, please visit our website www.dtcetc.com

For Low Drawer					
	Bowl Holder / Kit Package				
	Silver White(E40)				
	NL	Standard/Inner Drawer Item No.			Set/ctn
	450mm	DW=125mm	HQW01-125		6
	Plate Holder / Kit Package				
	Silver White(E40)				
	NL	Standard/Inner Drawer Item No.			Set/ctn
	450mm	DW=250mm	HQE01-250		3
	Chopsticks and Spoon Holder / Kit Package				
	Dark Grey (H11)				
	NL	Standard/Inner Drawer Item No.			Set/ctn
	450mm	DW=125mm	HQK01-125		6
	Knife Holder / Kit Package				
	Silver White(E40)				
	NL	Standard/Inner Drawer Item No.			Set/ctn
	450mm	DW=125mm	HQD01-125		6
	Spice Bottle Unit / Kit Package				
	Silver White(E40)				
	NL	Standard/Inner Drawer Item No.			Set/ctn
	450mm	DW=100mm	HQT01-100		6
	Spice Bottle Unit / Kit Package				
	Silver White(E40)				
	NL	Standard/Inner Drawer Item No.			Set/ctn
	450mm	DW=125mm	HQT01-125		6
	Spice Bottle Unit / Kit Package				
	Silver White(E40)				
	NL	Standard/Inner Drawer Item No.			Set/ctn
	450mm	DW=150mm	HQT01-150		5

For Low Drawer					
	Spice Bottle Unit / Kit Package				
	Silver White(E40)				
	NL	Standard/Inner Drawer Item No.			Set/ctn
	450mm	DW=200mm	HQT01-200		3
	Spice Bottle Unit / Kit Package				
	Silver White(E40)				
	NL	Standard/Inner Drawer Item No.			Set/ctn
	450mm	DW=250mm	HQT01-250		3
Installation Dimensions(mm)					
KB= Cabinet Width DW= External Width of Storage Unit Make sure: DW(1)+DW(2)+.....+DW(N)=KB-75					
					
	Cross divider for Low Drawer / Kit Package				
	For HQ/HK Series Narrow Spice Drawer only				
	Dark Grey (H11)				
	NL	Cabinet Width (KB)	Item No.	Set/ctn	
	450mm	KB=150mm	HK10074450-85	20	
	450mm	KB=200mm	HK10074450-135	20	


For High Drawer




Spice Bottle Unit / Kit Package			
Silver White(E40)			
NL		Standard/Inner Drawer Item No.	Set/ctn
450mm	DW=100mm	HQT02-100	6




Spice Bottle Unit / Kit Package			
Silver White(E40)			
NL		Standard/Inner Drawer Item No.	Set/ctn
450mm	DW=125mm	HQT02-125	6



Spice Bottle Unit / Kit Package			
Silver White(E40)			
NL		Standard/Inner Drawer Item No.	Set/ctn
450mm	DW=150mm	HQT02-150	5




Spice Bottle Unit / Kit Package			
Silver White(E40)			
NL		Standard/Inner Drawer Item No.	Set/ctn
450mm	DW=200mm	HQT02-200	3



Spice Bottle Unit / Kit Package			
Silver White(E40)			
NL		Standard/Inner Drawer Item No.	Set/ctn
450mm	DW=250mm	HOT02-250	3


Installation Dimensions(mm)

KB= Cabinet Width
DW= External Width of Storage Unit
Make sure: $DW(1)+DW(2)+.....+DW(N)=KB-75$



DTC is always innovating!
For more information, please visit our website www.dtcddc.com


For High Drawer




Cross divider for High Drawer / Kit Package			
For HQ/HK Series Narrow Spice Drawer only			
Dark Grey (H11)			
NL	Cabinet Width (KB)	Item No.	Set/ctn
450mm	KB=150mm	HK10075450-85	20
450mm	KB=200mm	HK10075450-135	20

Dinnerware and Cookware Drawer


Adjustment



Left & right adjustment




Up & down adjustment





Tilt adjustment(by M3 allen key)

Removal



Press the locking device under drawer bottom and pull out the drawer



DTC is always innovating!
For more information, please visit our website www.dtcetc.com



HQ SERIES | Corner Roll-out Unit

Corner base cabinets create a challenge for the user to access everything inside with convenience. The DTC Corner Storage Drawer is an elegant mechanism with tempered glass drawer sides, unsurpassed smooth operation, and a large storage capacity.



Silent



Durable



Adaptable



Eco-Friendly



Safe



HQ SERIES | Corner Roll-out Unit

Corner storage drawers make the most of corner cabinets by bringing even the innermost items within reach.






Fashionable and Beautiful

Breaking away from the traditional methods of corner cabinet access, DTC's Corner Storage Drawers add a level of elegance to a highly functional mechanism.



Heavy Duty

The new hook structure enhances the load capacity plus enables the four drawers to be easily removed for cleaning.



Smooth Motion

Smooth, stable and silent motion is combined with effortless closing.






PURE-PRO
HQ SERIES · CORNER CABINET



HQ SERIES

Corner Roll-out Unit with Glass-boxside




1 Metal Frame

Cabinet Width (KB)	Item No.	Set/ctn	Finish
900mm (Left)	GFJ-K-L	1	Grey Matt(E30)
900mm (Right)	GFJ-K-R	1	

2 Storage Tray


Cabinet Width (KB)	Item No.	Set/ctn	Finish
900mm	HQJ900	1	Grey Matt(E30)

Space Requirement (mm)




Configuration (Left)

A Kit= 1 + 2 x 2




Screw Positions (mm)


Left side opening illustration




Left side panel fixing holes



Right side panel fixing holes



Bottom panel fixing holes



Front fixing holes



HQ SERIES | Multiple Interior Drawer

Beauty is found in a high capacity storage structure that offers maximum access to tall pantry cabinets. The perfect balance of load capacity and storage density will be the focal point of any kitchen.



Silent



Durable



Adaptable



Eco-Friendly



Safe






HQ SERIES | Multiple Interior Drawer

A tower of metal and glass in a minimalist design is a statement of smart design in its own right.




Stylish

The glass sided trays show fine texture, and expresses a modern fashion sense to the cabinets.



Heavy Duty

The dedicated heavy duty slides are designed to ensure high load capacity, with smooth and stable opening and closing action.



Adjustable Storage Positions

The center storage trays can be positioned vertically to suit the height of the items to be stored.






PURE-PRO

HQ SERIES · PANTRY CABINET



Multiple Interior Drawer with Glass-boxside



1 Metal Frame

Cabinet Width (KB)	Item No.	Set/ctn	Finish
300mm (4 trays)	GFG-300-04K	1	Grey Matt(E30)
300mm (5 trays)	GFG-300-05K	1	
300mm (6 trays)	GFG-300-06K	1	
400mm (4 trays)	GFG-400-04K	1	
400mm (5 trays)	GFG-400-05K	1	
400mm (6 trays)	GFG-400-06K	1	

2 Storage Tray


Cabinet Width (KB)	Item No.	Set/ctn	Finish
300mm	HQG300	1	Grey Matt(E30)
400mm	HQG400	1	

3 Heavy Duty Slide

Cabinet Width (KB)	Item No.	Set/ctn	Finish
300mm/400mm	GFG-D	1	Grey Matt(E30)


Configuration

A Kit = 1 + 2 x quantity + 3




Space Requirement (mm)

Tray Quantity	*Internal Cabinet Height
4	1200~1600mm
5	1700~2100mm
6	1900~2300mm




Screw Positions of the Slides (mm)



Upper slide installation



Bottom slide installation



Installation Dimensions (mm)



HQ SERIES



HQ SERIES | Linked Storage Drawer

Ultimate storage convenience is experienced when the hinged pantry door with storage shelves simultaneously opens all of the drawers. The motion is sure and stable and a remarkable feat of cabinet hardware ingenuity.



Silent



Durable



Adaptable



Eco-Friendly



Safe



HQ SERIES | Linked Storage Drawer

The combination of metal, glass and a sleek industrial style are even more impressive when fully stocked. All of the storage units can be height adjusted to accommodate food items and appliances.





Robust Storage Function

Items that are preferred to be within quick reach can be stored on the door mounted shelves.



Heavy Duty

Smooth pull-out action and a 120kg load capacity slide mechanism are concealed by a decorative dust cover.



Stylish and Beautiful

The drawers, having elegant tempered glass sides, present everything at a glance.





PURE-PRO

HQ SERIES · PANTRY CABINET



Linked Storage Drawer with Glass-boxside



1 Metal Frame


Cabinet Width (KB)	Item No.	Set/ctn	Finish
500mm (4 trays)	GFL500-04K	1	Grey Matt(E30)
500mm (5 trays)	GFL500-05K	1	
500mm (6 trays)	GFL500-06K	1	
600mm (4 trays)	GFL600-04K	1	
600mm (5 trays)	GFL600-05K	1	
600mm (6 trays)	GFL600-06K	1	

2 Storage Tray


Cabinet Width (KB)	Item No.	Set/ctn	Finish
500mm	HQL500	1	Grey Matt(E30)
600mm	HQL600	1	

Space Requirement (mm)


Tray Quantity	*Internal Cabinet Height
4	min990mm
5	min1590mm
6	min1790mm



Screw Positions of the Slides (mm)




500mm wide cabinet:
Bottom panel drilling




600mm wide cabinet:
Bottom panel drilling

Configuration


A Kit = 1 + 2 x quantity



Installation Dimensions (mm)



Screw positions of
cabinet door



Screw positions of
left cabinet side

KITCHEN STORAGE SYSTEM


PURE-PRO HK SERIES

Less Becomes More

A Perfect Combination of
Modern Design and Luxurious Styling








Modular Design Freedom to Configure

PURE-PRO modules and partitions can be positioned into various arrangements so that the user can configure a storage drawer to suit their individual preferences for access and comfort.



Discreet Front Panel Fixings

Blending with the slim drawer sides, the integral fixing flanges replace the common and complicated fixing brackets. They achieve a firm connection to the drawer front and have side adjustment through slotted holes. Tool-free height adjustment controls are conveniently located in the drawer slides.



Tool Free Drawer Removal

As with other DTC double-wall drawer systems, PURE-PRO drawers are designed with integrated release levers in the slides for easy drawer removal and re-installation.

Check more info of removal and adjustment on Page 139



Convenience

Moving entire selections of spices and sauces is possible with the removable trays with ergonomic handles.



Food Grade Double Coating

An environmentally responsible and hygienic coating technique is used on the metal components to provide strong resistance to corrosion, abrasion, acid and alkali for the service life of the units.



Curved Handle Design

The curved handle is ergonomically designed to avoid contacting the cabinet when removing and replacing the storage trays.



Cabinet Compatibility

The internal storage components are designed to fit frameless cabinets in standard European metric widths (600, 900, etc.) that have either 16mm or 18mm side panels.



HK SERIES | Spice Drawer

Easily organize spice, sauce, oil, etc, and combine with knife holders or the other units.
The ergonomic design enables comfort and convenience, users can remove the trays with everything together and place them on the counter.



Silent



Durable



Adaptable



Eco-Friendly



Safe



HK SERIES | Spice Drawer

From the grocery store to the kitchen, all of the things that create a great meal are within easy reach when they are stored in drawers that are close to the food preparation counter.





High Capacity

Different sizes of spice bottles can be well organized and even large bottles of oil are easily contained.



Flexibility


The movable divider rods are easily moved to fit different bottle sizes.



Safety

The knife holder tray safely stores larger knives, enabling easy access and added convenience.


Spice Drawer (Top Drawer)









DESCRIPTION








- Concealed, full extension
- load capacity: 40kg
- Tool free assembly and removal of drawer
- Silent system guarantees smooth run without noise
- Finish: Grey matt(E30)


SPACE REQUIREMENT




LT = Internal Cabinet Depth
Minimum LT = 453mm

1		Slides /Industrial Package Pre-zinc Steel(F02)	Item No.	Pair/ctn
			HD10450H2	5
2		Low Inner Drawer Sides /Industrial Package Grey Matt(E30)	Item No.	Pair/ctn
			HK114503	5
3		Bottom Frame /Industrial Package Grey Matt(E30)	Item No.	Pcs/ctn
			Cabinet Width (KB)	
			300mm	HQDB01-30010
			350mm	HQDB01-35010
			400mm	HQDB01-40010
			450mm	HQDB01-45010
4		Low Drawer Metal Back /Industrial Package Grey Matt(E30)	Item No.	Pcs/ctn
			Cabinet Width (KB)	
			300mm	HK1103A30010
			350mm	HK1103A35010
			400mm	HK1103A40010
			450mm	HK1103A45010
5		Inner Drawer Front /Industrial Package Grey Matt(E30)	Item No.	Pcs/ctn
			Cabinet Width (KB)	
			300mm	HK10022A-30050
			350mm	HK10022A-35050
			400mm	HK10022A-40050
			450mm	HK10022A-45050
6		Low Drawer Glass-front Panel /Industrial Package Glass(G01)	Item No.	Pcs/ctn
			Cabinet Width (KB)	
			300mm	HK1106A30010
			350mm	HK1106A35010
			400mm	HK1106A40010
			450mm	HK1106A45010

7		Spice Bottle Unit /Industrial Package		
		Silver White(E40)		
		Width	Item No.	Pcs/ctn
		100mm	HQT01-100	6
		125mm	HQT01-125	6
		150mm	HQT01-150	5
7		200mm	HQT01-200	3
		250mm	HQT01-250	3
		Knife Holder /Industrial Package		
		Silver White(E40)		
7		Width	Item No.	Pcs/ctn
		125mm	HQD01-125	6
8		Spacer for 16mm Cabinet Side Panel / Industrial Package		
		Dark Grey (H11)		
8		Item No.	0LKDK02	
		Pair/ctn	200	
9		Bumper/ Industrial Package		
		Item No.	2HMT02	
9		Pair/ctn	200	




Spice Drawer (Bottom Drawer)









DESCRIPTION


- Concealed, full extension
- load capacity: 40kg
- Tool free assembly and removal of drawer
- Silent system guarantees smooth run without noise
- 3D adjustment:
Up & down adjustment: ±2mm,
left & right adjustment: ±1.5mm,
tilt adjustment: + 1.5, -2.5mm
- Finish: Grey matt(E30)

SPACE REQUIREMENT



LT = Internal Cabinet Depth
Minimum LT = 453mm

1		Slides /Industrial Package Pre-zinc Steel(F02)		
			Item No.	Pair/ctn
			HD10450H	5
2		High Drawer Sides /Industrial Package Grey Matt(E30)		
			Item No.	Pair/ctn
			HK134501	5
3		Bottom Frame /Industrial Package Grey Matt(E30)		
		Cabinet Width (KB)	Item No.	Pcs/ctn
		300mm	HQDB01-300	10
		350mm	HQDB01-350	10
		400mm	HQDB01-400	10
		450mm	HQDB01-450	10
4		High Drawer Metal Back /Industrial Package Grey Matt(E30)		
		Cabinet Width (KB)	Item No.	Pcs/ctn
		300mm	HK1303A300	10
		350mm	HK1303A350	10
		400mm	HK1303A400	10
		450mm	HK1303A450	10
5		Spacer for 16mm Cabinet Side Panel /Industrial Package Dark Grey (H11)		
			Item No.	Pair/ctn
			0LKDK02	200
6		Cover Caps for High Drawer (Left/Right) /Industrial Package Dark Grey (H11)		
			Item No.	Pair/ctn
			0HK13JS01	200






Spice Drawer (Kit Package)



DESCRIPTION

- Concealed, full extension
- load capacity: 40kg
- Tool free assembly and removal of drawer
- Silent system guarantees smooth run without noise
- 3D adjustment:
Up & down adjustment: $\pm 2\text{mm}$,
left & right adjustment: $\pm 1.5\text{mm}$,
tilt adjustment: $+ 1.5, -2.5\text{mm}$
- Finish: Grey matt(E30)

SPACE REQUIREMENT




LT = Internal cabinet depth
Minimum LT = 453mm
H = Internal drawer height
H (Top drawer) = 198mm
H (Bottom drawer) = 273mm

Product Information

Drawer Type	Cabinet Width (KB)	Item No.	Set/ ctn	Finish
Top	300mm	HK11450Q300T01	1	Grey Matt(E30)
	350mm	HK11450Q350T01	1	
	400mm	HK11450Q400T01	1	
	450mm	HK11450Q450T01	1	
Bottom	300mm	HK13450A300T01	1	Grey Matt(E30)
	350mm	HK13450A350T01	1	
	400mm	HK13450A400T01	1	
	450mm	HK13450A450T01	1	


Drawer Front Dimensions (mm)

LW = Internal cabinet width
FA = Overlay




Configuration

KB = 450mm, standard configuration of a top spice drawer,
refer to page 108 for other sizes




KB = 450mm, standard configuration of a bottom spice drawer, refer to page 108 for other sizes




Installation Dimensions (mm)

LW = Internal cabinet width
KB = Cabinet width



Screw Positions of the Slides (mm)




Minimum Internal cabinet depth: 453mm





















Spice Drawer

The program includes units in four widths that are combined into kits that fit in standard European metric sized frameless cabinets. Wider drawers offer more options.




Standard Kits


Cabinet : 300mm Item No. : HK11450Q300T01		Item No. : HK13450A300T01	
Top drawer configuration		Bottom drawer configuration	
 HQT01-100		 HQT02-100	
 HQT01-125		 HQT02-125	
Cabinet : 350mm Item No. : HK11450Q350T01		Item No. : HK13450A350T01	
Top drawer configuration		Bottom drawer configuration	
 HQT01-150		 HQT02-150	
 HQT01-125		 HQT02-125	
Cabinet : 400mm Item No. : HK11450Q400T01		Item No. : HK13450A400T01	
Top drawer configuration		Bottom drawer configuration	
 HQD01-125		 HQT02-200	
 HQT01-100		 HQT02-125	
 HQT01-100			
Cabinet : 450mm Item No. : HK11450Q450T01		Item No. : HK13450A450T01	
Top drawer configuration		Bottom drawer configuration	
 HQD01-125		 HQT02-250	
 HQT01-125		 HQT02-125	
 HQT01-125			

Spice Drawer (Top Drawer)



Assembly



Metal back assembly Bottom frame assembly Fix screws




Fix front glass and inner drawer front




Spice Drawer (Bottom Drawer)



Assembly



Metal back assembly Bottom frame assembly



Fix screws Fix the Brackets





HK SERIES | Narrow Spice Drawer

When a kitchen design requires a narrow cabinet to be placed, a narrow spice drawer configuration makes the most of the small space and optimizes convenience and storage capacity.



Silent



Durable



Adaptable



Eco-Friendly



Safe




Narrow Spice Drawer




DESCRIPTION

- Concealed, full extension
- load capacity: 40kg
- Tool free assembly and removal of drawer
- Silent system guarantees smooth run without noise
- 3D adjustment:
Up & down adjustment: $\pm 2\text{mm}$,
left & right adjustment: $\pm 1.5\text{mm}$,
tilt adjustment: $+ 1.5$, -2.5mm
- Finish: Grey matt(E30)

SPACE REQUIREMENT




LT = Internal cabinet depth
Minimum LT = 453mm
H = Internal drawer height
H (Top drawer) = 198mm
H (Bottom drawer) = 273mm

<div>1</div> 	Slides /Industrial Package Pre-zinc Steel(F02)		
		Item No.	Pair/ctr
		HD10450H	5


<div>2</div> 	Low Drawer Sides / Industrial Package		
	Grey Matt(E30)		
		Item No.	Pair/ctr
		HK114501	5


<div>3</div> 	Low Drawer Bottom /Industrial Package Grey Matt(E30)		
	Cabinet Width (KB)	Item No.	Pcs/ctn
	150mm	HQDB01-150	10
	200mm	HQDB01-200	10


4		Cover Caps for Low Drawer (Left/Right) / Industrial Package Dark Grey (H11)		
			Item No.	Pair/ctr
			0HK11JS01	200

5		Spacer for 16mm Cabinet Side Panel / Industrial Package Dark Grey (H11)	
		Item No.	Pair/ctn
		0LKDK02	200

<div>6</div> 	High Drawer Sides / Industrial Package		
	Grey Matt(E30)		
		Item No.	Pair/ctn
		HK134501	5

7		High Drawer Bottom / Industrial Package		
		Grey Matt(E30)		
		Cabinet Width (KB)	Item No.	Pcs/ctn
		150mm	HQDB03-150	10
		200mm	HQDB03-200	10

8		Cover Caps for High Drawer (Left/Right) /Industrial Package Dark Grey (H11)	
		Item No.	Pair/ctn
		0HK13JS01	200




Narrow Spice Drawer (Kit Package)



DESCRIPTION

- Concealed, full extension
- load capacity: 40kg
- Tool free assembly and removal of drawer
- Silent system guarantees smooth run without noise
- 3D adjustment:
Up & down adjustment: $\pm 2\text{mm}$,
left & right adjustment: $\pm 1.5\text{mm}$,
tilt adjustment: ± 1.5 , -2.5mm
- Finish: Grey matt(E30)

SPACE REQUIREMENT



LT = Internal cabinet depth
Minimum LT = 453mm
H = Internal drawer height
H (Top drawer) = 198mm
H (Bottom drawer) = 273mm

Product Information

Cabinet Width (KB)	Item No.	Set/ctn	Finish
150mm	HK450A150Z01	1	Grey Matt(E30)
200mm	HK450A200Z01	1	

Refer to page 136,138 for cross divider item No.

Drawer Front Dimensions (mm)


LW = Internal cabinet width

$$FA = \text{Overlay} = (W - LW) / 2$$


W = Drawer front width

h = Fixing hole distance between two slides

A	Installation width(KB)
74	150-199
124	200-299



Configuration




Installation Dimensions (mm)


LW = Internal cabinet width

KB = Cabinet width

h = Fixing hole distance between two slides




Screw Positions of the Slides (mm)







Narrow Spice Drawer

Assembly



Assemble and fix screws



DTC is always innovating!
For more information, please visit our website www.dtcetc.com



HK SERIES | Dinnerware and Cookware Drawer

The innovative modular design concept allows for a variety of placement options. Everything needed for daily meals are within reach and well-organized. The elegant drawer sides express a minimalist fashion sense for your cabinets.



Silent



Durable



Adaptable



Eco-Friendly



Safe





HK Series | Dinnerware Drawer

Plates of different sizes are easily stored and combined with bowl and chopstick holders. Organizing everyday dinnerware in a drawer, for example, is more convenient than having stacked plates in a wall cabinet.



Flexibility

Bowls of different sizes can all be well organized. The divided sections in the holders keep valuable dinnerware from touching and are further protected by the soft-close motion of the high-capacity drawer slides.



Fashionable

With metal sides expressing strong and stable feel, the storage drawers combine beauty with practical function, a perfect match for your cabinets.




High Efficiency

A variety of practical storage units create a personalized space. Dinnerware storage drawers accommodate all shapes and sizes in an orderly fashion.



HK SERIES


Dinnerware Drawer



DESCRIPTION


- Concealed, full extension
- load capacity: 40kg
- Tool free assembly and removal of drawer
- Silent system guarantees smooth run without noise
- 3D adjustment:
Up & down adjustment: ±2mm,
left & right adjustment: ±1.5mm,
tilt adjustment: + 1.5, -2.5mm
- Finish: Grey matt(E30)

SPACE REQUIREMENT



LT = Internal Cabinet Depth
Minimum LT = 453mm


1



Slides /Industrial Package
Pre-zinc Steel(F02)

	Item No.	Pair/ctn
	HD10450H	5


2



Low Drawer Siders /Industrial Package
Grey Matt(E30)

	Item No.	Pair/ctn
	HK114501	5


3



Cover Caps (Left/Right) /Industrial Package
Dark Grey (H11)

	Item No.	Pair/ctn
	0HK11JS01	200


4



Bottom Frame /Industrial Package
Grey Matt(E30)

Cabinet Width (KB)	Item No.	Pcs/ctn
600mm	HQDB01-600	10
700mm	HQDB01-700	10
800mm	HQDB01-800	10
900mm	HQDB01-900	10

5



Low Drawer Metal Back /Industrial Package
Grey Matt(E30)

Cabinet Width (KB)	Item No.	Pcs/ctn
600mm	HK1103A600	10
700mm	HK1103A700	10
800mm	HK1103A800	10
900mm	HK1103A900	10

6





Plate Holder /Industrial Package
Silver White(E40)

Width	Item No.	Pcs/ctn
250mm	HQE01-250	3


6



Bowl Holder /Industrial Package
Silver White(E40)

Width	Item No.	Pcs/ctn
125mm	HQW01-125	6


6



Chopsticks and Spoon Holder /Industrial Package
Dark Grey (H11)

Width	Item No.	Pcs/ctn
250mm	HQK01-125	6


6



Seperator /Industrial Package
Dark Grey (H11)

Width	Item No.	Pcs/ctn
25mm	HQF01-25	200

7




Spacer for 16mm Cabinet Side Panel /Industrial Package
Dark Grey (H11)

	Item No.	Pair/ctn
	0LKDK02	200




Dinnerware Drawer (Kit Package)



DESCRIPTION

- Concealed, full extension
- load capacity: 40kg
- Tool free assembly and removal of drawer
- Silent system guarantees smooth run without noise
- 3D adjustment:
Up & down adjustment: ±2mm,
left & right adjustment: ±1.5mm,
tilt adjustment: + 1.5, -2.5mm
- Finish: Grey matt(E30)

SPACE REQUIREMENT




LT = Internal Cabinet Depth
Minimum LT = 453mm

Product Information

Cabinet Width (KB)	Item No.	Set/ctn	Finish
600mm	HK11450A600B01	1	Grey Matt(E30)
700mm	HK11450A700B01	1	
800mm	HK11450A800B01	1	
900mm	HK11450A900B01	1	


Drawer Front Dimensions (mm)

LW = Internal cabinet width




Configuration

KB = 900mm, standard configuration of a dinnerware drawer,
refer to page 126 for other sizes




Installation Dimensions (mm)

LW = Internal cabinet width
KB = Cabinet width
LT = Internal cabinet depth
H = Cabinet height
h = Fixing hole distance between two slides



Screw Positions of the Slides (mm)



Minimum Internal cabinet depth: 453mm



Dinnerware Drawer

Plate and bowl holders, knife holders and separator panels all combine to suit the user's preference and the cabinet width. Together this creates a unique experience with high capacity, easy access, and easy cleaning.




PURE-PRO

HK SERIES · BASE CABINET




Standard Kits


Cabinet: 600mm Item No.: HK11450A600B01




HQE01-250



HQW01-125




HQK01-125




HQF01-25


Cabinet: 700mm Item No.: HK11450A700B01




HQE01-250



HQW01-125




HQW01-125




HQK01-125


Cabinet: 800mm Item No.: HK11450A800B01




HQE01-250




HQW01-125




HQW01-125




HQK01-125




HQF01-25



HQF01-25




HQF01-25




HQF01-25


Cabinet: 900mm Item No.: HK11450A900B01




HQE01-250




HQW01-125




HQW01-125




HQW01-125




HQK01-125



HQF01-25



HQF01-25



HQF01-25



Not only are dinnerware and utensils accommodated, but cookware and small appliances can be effectively stored with the program.


Cookware Drawer




DESCRIPTION

- Concealed, full extension
- load capacity: 40kg
- Tool free assembly and removal of drawer
- Silent system guarantees smooth run without noise
- 3D adjustment:
 - Up & down adjustment: $\pm 2\text{mm}$,
 - left & right adjustment: $\pm 1.5\text{mm}$,
 - tilt adjustment: $+ 1.5, -2.5\text{mm}$
- Finish: Grey matt(E30)

SPACE REQUIREMENT




LT = Internal Cabinet Depth
Minimum LT = 453mm


<div>1</div> 	Slides /Industrial Package	
	Pre-zinc Steel(F02)	
	Item No.	Pair/ctn
	HD10450H	5

<div>2</div> 	<div>Low Drawer Siders / Industrial Package</div> <div>Grey Matt (E30)</div>		
		<div>Item No.</div> <div>HK114501</div>	<div>Pair / ctn</div> <div>5</div>


3		Cover Caps (Left/Right) / Industrial Package Dark Grey (H11)	
		Item No.	Pair / ctn
		0HK11JS01	200


<div>4</div> 	Bottom Frame /Industrial Package		
	Grey Matt(E30)		
	Cabinet Width (KB)	Item No.	Pcs/ctn
	600mm	HQDB01-600	10
	700mm	HQDB01-700	10
	800mm	HQDB01-800	10
	900mm	HQDB01-900	10

5 	Low Drawer Metal Back / Industrial Package		
	Grey Matt(E30)		
	Cabinet Width (KB)	Item No.	Pcs/ctn
	600mm	HK1103A600	10
	700mm	HK1103A700	10
	800mm	HK1103A800	10
	900mm	HK1103A900	10

	Cookware Unit /Industrial Package Silver White(E40)		
	Width	Item No.	Pcs/ctn
	125mm	HQG01-125	6
	250mm	HQG01-250	6

<div>6</div> 	Separator /Industrial Package Dark Grey (H11)		
	Width	Item No.	Pcs/ctn
	25mm	HQF01-25	200

<div>7</div> 	Spacer for 16mm Cabinet Side Panel / Industrial Package Dark Grey (H11)		
		Item No.	Pair / ctn
		0LKDK02	200




Cookware Drawer (Kit Package)



DESCRIPTION

- Concealed, full extension
- load capacity: 40kg
- Tool free assembly and removal of drawer
- Silent system guarantees smooth run without noise
- 3D adjustment:
 - Up & down adjustment: $\pm 2\text{mm}$,
 - left & right adjustment: $\pm 1.5\text{mm}$,
 - tilt adjustment: ± 1.5 , -2.5mm
- Finish: Grey matt (E30)

SPACE REQUIREMENT




LT = Internal Cabinet Depth
Minimum LT = 453mm

Product Information			
Cabinet Width (KB)	Item No.	Set/ctn	Finish
600mm	HK11450A600A01	1	Grey Matt(E30)
700mm	HK11450A700A01	1	
800mm	HK11450A800A01	1	
900mm	HK11450A900A01	1	


Drawer Front Dimensions (mm)

LW = Internal cabinet width




Configuration

KB=900mm, standard configuration of a cookware drawer ,
refer to page 132 for other sizes




Installation Dimensions (mm)

LW = Internal cabinet width
KB = Cabinet width
LT = Internal cabinet depth
H = Cabinet height
h = Fixing hole distance between two slides



Screw Positions of the Slides (mm)





Cookware Drawer

Large, flat-wired bases in two widths are used in combination with separator panels to form a contiguous foundation for cookware. The wire bases could be seperated easily from the plastic trays for cleaning.




PURE-PRO

HK SERIES · BASE CABINET




Standard Kits

Cabinet : 600mm Item No. : HK11450A600A01



HQG01-250




HQG01-250




HQF01-25


Cabinet : 700mm Item No. : HK11450A700A01



HQG01-250




HQG01-250




HQG01-125


Cabinet : 800mm Item No. : HK11450A800A01




HQG01-250



HQG01-250



HQG01-125



HQF01-25



HQF01-25




HQF01-25




HQF01-25


Cabinet : 900mm Item No. : HK11450A900A01




HQG01-250




HQG01-250




HQG01-125



HQF01-25




HQF01-25




HQF01-25

Cookware Drawer



Assembly




Metal back assembly











Bottom frame assembly










Fix screws









Fix the Brackets



DTC is always innovating!
For more information, please visit our website www.dtc.dtc.com

For Low Drawer					
	Bowl Holder / Kit Package				
	Silver White(E40)				
	NL	Standard/Inner Drawer Item No.			Set/ctn
	450mm	DW=125mm	HQW01-125		6
	Plate Holder / Kit Package				
	Silver White(E40)				
	NL	Standard/Inner Drawer Item No.			Set/ctn
	450mm	DW=250mm	HQE01-250		3
	Chopsticks and Spoon Holder / Kit Package				
	Dark Grey (H11)				
	NL	Standard/Inner Drawer Item No.			Set/ctn
	450mm	DW=125mm	HQK01-125		6
	Knife Holder / Kit Package				
	Silver White(E40)				
	NL	Standard/Inner Drawer Item No.			Set/ctn
	450mm	DW=125mm	HQD01-125		6
	Spice Bottle Unit / Kit Package				
	Silver White(E40)				
	NL	Standard/Inner Drawer Item No.			Set/ctn
	450mm	DW=100mm	HQT01-100		6
	Spice Bottle Unit / Kit Package				
	Silver White(E40)				
	NL	Standard/Inner Drawer Item No.			Set/ctn
	450mm	DW=125mm	HQT01-125		6
	Spice Bottle Unit / Kit Package				
	Silver White(E40)				
	NL	Standard/Inner Drawer Item No.			Set/ctn
	450mm	DW=150mm	HQT01-150		5


For Low Drawer					
	Spice Bottle Unit / Kit Package				
	Silver White(E40)				
	NL	Standard/Inner Drawer Item No.			Set/ctn
	450mm	DW=200mm	HQT01-200		3
	Spice Bottle Unit / Kit Package				
	Silver White(E40)				
	NL	Standard/Inner Drawer Item No.			Set/ctn
	450mm	DW=250mm	HQT01-250		3
Installation Dimensions(mm)					
KB= Cabinet Width DW= External Width of Storage Unit Make sure: DW(1)+DW(2)+.....+DW(N)=KB-75					
					
	Cross divider for Low Drawer / Kit Package				
	For HQ/HK Series Narrow Spice Drawer only				
	Dark Grey (H11)				
	NL	Cabinet Width (KB)	Item No.	Set/ctn	
	450mm	KB=150mm	HK10074450-85	20	
	450mm	KB=200mm	HK10074450-135	20	



Spice Bottle Unit / Kit Package				
Silver White(E40)				
NL		Standard/Inner Drawer Item No.		Set/ctn
450mm	DW=100mm	HQT02-100		6
Spice Bottle Unit / Kit Package				
Silver White(E40)				
NL		Standard/Inner Drawer Item No.		Set/ctn
450mm	DW=125mm	HQT02-125		6
Spice Bottle Unit / Kit Package				
Silver White(E40)				
NL		Standard/Inner Drawer Item No.		Set/ctn
450mm	DW=150mm	HQT02-150		5
Spice Bottle Unit / Kit Package				
Silver White(E40)				
NL		Standard/Inner Drawer Item No.		Set/ctn
450mm	DW=200mm	HQT02-200		3
Spice Bottle Unit / Kit Package				
Silver White(E40)				
NL		Standard/Inner Drawer Item No.		Set/ctn
450mm	DW=250mm	HQT02-250		3

Installation Dimensions(mm)

KB= Cabinet Width
DW= External Width of Storage Unit
Make sure: $DW(1)+DW(2)+.....+DW(N)=KB-75$




Cross divider for High Drawer / Kit Package			
For HQ/HK Series Narrow Spice Drawer only			
Dark Grey (H11)			
NL	Cabinet Width (KB)	Item No.	Set/ctn
450mm	KB=150mm	HK10075450-85	20
450mm	KB=200mm	HK10075450-135	20


DTC is always innovating!
For more information, please visit our website www.dtcetc.com

Dinnerware and Cookware Drawer


Adjustment



Left & right adjustment





Up & down adjustment






Tilt adjustment(by M3 allen key)

Removal



Press the locking device under drawer bottom and pull out the drawer



DTC is always innovating!
For more information, please visit our website www.dtcetc.com



HK SERIES | Corner Roll-out Unit

Corner base cabinets create a challenge for the user to access everything inside with convenience. The DTC Corner Storage Drawer is an elegant mechanism with sleek metal sides, unsurpassed smooth operation, and a large storage capacity.



Silent



Durable



Adaptable



Eco-Friendly



Safe





HK SERIES | Corner Roll-out Unit

Corner storage drawers make the most of corner cabinets by bringing even the innermost items within reach.





Fashionable and Beautiful

Breaking away from the traditional methods of corner cabinet access, DTC's Corner Storage Drawers add a level of elegance to a highly functional mechanism.



Heavy Duty

The new hook structure enhances the load capacity plus enables the four drawers to be easily removed for cleaning.



Smooth Motion

Smooth, stable and silent motion is combined with effortless closing.






PURE-PRO
HK SERIES · CORNER CABINET



Corner Roll-out Unit




1 Metal Frame

Cabinet Width (KB)	Item No.	Set/ctn	Finish
900mm (Left)	GFJ-K-L	1	Grey Matt(E30)
900mm (Right)	GFJ-K-R	1	

2 Storage Tray


Cabinet Width (KB)	Item No.	Set/ctn	Finish
900mm	HKJ900	1	Grey Matt(E30)

Space Requirement (mm)




Configuration (Left)

A Kit= 1 + 2 x 2




Screw Positions (mm)


Left side opening illustration




Left side panel fixing holes



Right side panel fixing holes



Bottom panel fixing holes



Front fixing holes



HK SERIES | Lift-down Storage Unit

Beauty and a pinnacle of convenience are perfectly balanced for wall cabinets that are frequently used. With a huge load capacity, lifting storage shelves are practical for wider cabinets with lift-up doors that are found in today's modern kitchens.



Silent



Durable



Adaptable



Eco-Friendly



Safe



HK SERIES | Lift-down Storage Unit

The glass fronts, which hold contents in place, make it easy to identify the item needed at a glance. What's more, items in the top become easy to reach at eye level.






Easy Balancing

Push and pull buttons on both sides enable weight balancing depending on what's being stored. Example: Canned goods versus cereal boxes.



Soft Touch

The front handle has a center grip that is soft and comfortable.



Fashionable Appearance

The elegant design of metal sides with glass fronts enables all items inside to be at a glance.





PURE-PRO
HK SERIES · WALL CABINET



Lift-down Storage Unit




Product Information


Cabinet Width (KB)	Item No.	Set/ctn	Finish
600mm	HKS600A01	1	Grey Matt(E30)
700mm	HKS700A01	1	
800mm	HKS800A01	1	
900mm	HKS900A01	1	

Space Requirement (mm)


Cabinet Width	Internal Cabinet Width
600mm	560-564mm
700mm	660-664mm
800mm	760-764mm
900mm	860-864mm



Configuration



Screw Positions (mm)





HK SERIES | Multiple Interior Drawer

Beauty is found in a high capacity storage structure that offers maximum access to tall pantry cabinets. The perfect balance of load capacity and storage density will be the focal point of any kitchen.



Silent



Durable



Adaptable



Eco-Friendly



Safe






HK SERIES | Multiple Interior Drawer

A tower of multiple metal drawers in a minimalist design is a statement of smart design in its own right.



Strong Storage Function

The multi-layer design meets different storage needs and can be maximized by rearranging the drawers up and down.



Heavy Duty

The dedicated heavy duty slides are designed to ensure high load capacity, with smooth and stable opening and closing action.



Stylish and Beautiful

The design of the sleek metal drawer sides makes an elegant statement.





PURE-PRO
HK SERIES · PANTRY CABINET



Multiple Interior Drawer



1 Metal Frame

Cabinet Width (KB)	Item No.	Set/ctn	Finish
300mm (4 trays)	GFG-300-04K	1	Grey Matt(E30)
300mm (5 trays)	GFG-300-05K	1	
300mm (6 trays)	GFG-300-06K	1	
400mm (4 trays)	GFG-400-04K	1	
400mm (5 trays)	GFG-400-05K	1	
400mm (6 trays)	GFG-400-06K	1	

2 Storage Tray


Cabinet Width (KB)	Item No.	Set/ctn	Finish
300mm	HKG300	1	Grey Matt(E30)
400mm	HKG400	1	

3 Heavy Duty Slide

Cabinet Width (KB)	Item No.	Set/ctn	Finish
300mm/400mm	GFG-D	1	Grey Matt(E30)


Configuration

A Kit = 1 + 2 x quantity + 3




Space Requirement (mm)

Tray Quantity	*Internal Cabinet Height
4	1200-1600mm
5	1700-2100mm
6	1900-2300mm




Screw Positions of the Slides (mm)



Upper slide installation



Bottom slide installation



Installation Dimensions (mm)





HK SERIES | Linked Storage Drawer

Ultimate storage convenience is experienced when the hinged pantry door with storage shelves simultaneously opens all of the drawers. The motion is sure and stable and a remarkable feat of cabinet hardware ingenuity.



Silent



Durable



Adaptable



Eco-Friendly



Safe





HK SERIES | Linked Storage Drawer

Even the inside of a door can look elegant with the shallow storage trays that can be height adjusted to individual preference.




Robust Storage Function

Items that are preferred to be within quick reach can be stored on the door mounted shelves.



Heavy Duty

Smooth pull-out action and a 120kg load capacity slide mechanism are concealed by a decorative dust cover.



Stylish and Beautiful

The drawers, having elegant tempered glass fronts, present everything at a glance.





PURE-PRO
HK SERIES · PANTRY CABINET



Linked Storage Drawer



1 Metal Frame


Cabinet Width (KB)	Item No.	Set/ctn	Finish
500mm (4 trays)	GFL500-04K	1	Grey Matt(E30)
500mm (5 trays)	GFL500-05K	1	
500mm (6 trays)	GFL500-06K	1	
600mm (4 trays)	GFL600-04K	1	
600mm (5 trays)	GFL600-05K	1	
600mm (6 trays)	GFL600-06K	1	

2 Storage Tray


Cabinet Width (KB)	Item No.	Set/ctn	Finish
500mm	HKL500	1	Grey Matt(E30)
600mm	HKL600	1	

Space Requirement (mm)


Tray Quantity	*Internal Cabinet Height
4	min990mm
5	min1590mm
6	min1790mm



Screw Positions of the Slides (mm)




500mm wide cabinet:
Bottom panel drilling




600mm wide cabinet:
Bottom panel drilling

Configuration


A Kit = 1 + 2 x quantity



Installation Dimensions (mm)



Screw positions of
cabinet door



Screw positions of
cabinet side left

